



# Material Safety Data Sheet

Material Name: DOLOMITIC LIMESTONE

ID: C-MS-AT-2013CANSTDLS

**\*\*\* Section 1 - Chemical Product and Company Identification \*\*\***

**Chemical Name:** Calcium Magnesium Carbonate

**Product Use:** Mineral Additive

**Synonyms:** DF 1000, DF 2000, DF 3015, DF 4070, DF 5025, DF 5020, DOLOCRON® 4013, DOLOCRON® 4512, DOLOFIL® 2055, DOLOFIL® 4085, GS 1000, GS 2000, GS 2005, RF-2050

**Manufacturer Information**

Specialty Minerals Inc.  
622 Third Avenue  
38th Floor  
New York, NY 10017

Phone: 1-877-684-7627

Emergency # +1-760-476-3962 (USA) Access Code: 333336

**General Comments**

**\*\*\* Section 2 - Composition / Information on Ingredients \*\*\***

| CAS #      | Component                | Percent (wt/wt) |
|------------|--------------------------|-----------------|
| 16389-88-1 | Dolomite (CaMg(CO3)2)    | 60-100          |
| 14808-60-7 | Quartz                   | 0.1-1.0         |
| 14567-73-8 | Tremolite (non-asbestos) | 0.1-1.0         |

**Component Related Regulatory Information**

This product may be regulated, have exposure limits or other information identified as the following: Silica, crystalline (general form).

**Component Information**

This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

**\*\*\* Section 3 - Hazards Identification \*\*\***

**Emergency Overview**

This product is irritating to the eyes, respiratory system and skin.

**Potential Health Effects: Eyes**

Dust or powder may irritate eye tissue.

**Potential Health Effects: Skin**

Dust or powder may irritate the skin.

**Potential Health Effects: Ingestion**

May cause temporary irritation of the throat, stomach, and gastrointestinal tract.

**Potential Health Effects: Inhalation**

WARNING: This product contains crystalline silica. Long-term overexposure to crystalline silica causes silicosis, a form of pulmonary fibrosis. Continued overexposure to silica can lead to cardiopulmonary impairment. Crystalline silica has been reviewed by IARC. IARC found sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the form of quartz or cristobalite from occupational sources.

**Medical Conditions Aggravated by Exposure**

No information available for the product.

**Potential Environmental Effects**

No significant environmental effects.

**HMIS Ratings: Health: 1\* Fire: 0 Reactivity: 0 Pers. Prot.: E**

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

# Material Safety Data Sheet

Material Name: DOLOMITIC LIMESTONE

ID: C-MS-AT-  
2013CANSTDLS

## \*\*\* Section 4 - First Aid Measures \*\*\*

### First Aid: Eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### First Aid: Skin

For skin contact, wash immediately with soap and water.

### First Aid: Ingestion

Product is not considered toxic in small amounts.

### First Aid: Inhalation

Move person to non-contaminated air.

### First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

## \*\*\* Section 5 - Fire Fighting Measures \*\*\*

### General Fire Hazards

This material will not burn.

### Hazardous Combustion Products

None identified.

### Extinguishing Media

Use methods for the surrounding fire.

### Fire Fighting Equipment/Instructions

None necessary.

NFPA Ratings: Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

### Containment Procedures

Contain the discharged material.

### Clean-Up Procedures

Provide adequate ventilation. Cleanup personnel should use personal protective equipment to reduce eye contact, inhalation of dust, and prolonged skin contact. Use vacuum equipment with HEPA filters or wet sweeping/dust suppressant if sweeping is required. Personal safety, handling and exposure recommendations described elsewhere in this data sheet apply to exposure during clean up of spilled material and must be followed.

### Evacuation Procedures

None necessary.

### Special Procedures

No additional information available.

## \*\*\* Section 7 - Handling and Storage \*\*\*

### Handling Procedures

Avoid getting this material into contact with your skin and eyes.

### Storage Procedures

Store in a cool, dry, well-ventilated area.

## \*\*\* Section 8 - Exposure Controls / Personal Protection \*\*\*

### Exposure Guidelines

#### A: General Product Information

Keep formation of airborne dusts to a minimum.

# Material Safety Data Sheet

Material Name: DOLOMITIC LIMESTONE

ID: C-MS-AT-  
2013CANSTDLS

## B: Component Exposure Limits

### Quartz (14808-60-7)

ACGIH: 0.025 mg/m3 TWA (respirable fraction)

OSHA: 0.1 mg/m3 TWA (respirable dust)

NIOSH: 0.05 mg/m3 TWA (respirable dust)

## Engineering Controls

Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits.

## PERSONAL PROTECTIVE EQUIPMENT

### Personal Protective Equipment: Eyes/Face

Wear dust goggles.

### Personal Protective Equipment: Skin

Use impervious gloves.

### Personal Protective Equipment: Respiratory

Use a dust mask for particulate concentrations exceeding the Occupational Exposure Limit.

### Personal Protective Equipment: General

Eye wash fountain and emergency showers are recommended.

## \*\*\* Section 9 - Physical & Chemical Properties \*\*\*

**Appearance:** White Powder  
**Physical State:** Solid  
**Vapor Pressure:** N/A  
**Boiling Point:** N/A  
**Solubility (H2O):** Partially soluble

**Odor:** None  
**pH:** N/A  
**Vapor Density:** N/A  
**Melting Point:** Unknown  
**Specific Gravity:** 2.71

## \*\*\* Section 10 - Stability & Reactivity \*\*\*

### Chemical Stability

Stable under normal conditions.

### Chemical Stability: Conditions to Avoid

Avoid contact with acids.

### Incompatibility

This product reacts with acids.

### Hazardous Decomposition

Thermal oxidative decomposition of dolomitic limestone can produce dolomitic quicklime.

### Hazardous Polymerization

Will not occur.

## \*\*\* Section 11 - Toxicological Information \*\*\*

### Acute and Chronic Toxicity

#### A: General Product Information

No information available for the product.

#### B: Component Analysis - LD50/LC50

##### Quartz (14808-60-7)

Oral LD50 Rat: 500 mg/kg

### Carcinogenicity

#### A: General Product Information

There may be a relationship between silicosis and certain cancers.

# Material Safety Data Sheet

Material Name: DOLOMITIC LIMESTONE

ID: C-MS-AT-  
2013CANSTDLS

## B: Component Carcinogenicity

### Quartz (14808-60-7)

ACGIH: A2 - Suspected Human Carcinogen  
NIOSH: potential occupational carcinogen  
NTP: Known Human Carcinogen (Select Carcinogen)  
IARC: Monograph 68 [1997] (listed under Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources) (Group 1 (carcinogenic to humans))

### Tremolite (non-asbestos) (14567-73-8)

IARC: Supplement 7 [1987], Monograph 14 [1977] (Group 1 (carcinogenic to humans))

## \*\*\* Section 12 - Ecological Information \*\*\*

### Ecotoxicity

#### A: General Product Information

This material is not expected to be harmful to aquatic life.

#### B: Component Analysis - Ecotoxicity - Aquatic Toxicity

No ecotoxicity data are available for this product's components.

### Environmental Fate

This material shows no bioaccumulation or food chain concentration toxicity potential.

## \*\*\* Section 13 - Disposal Considerations \*\*\*

### US EPA Waste Number & Descriptions

#### A: General Product Information

No components are identified as hazardous wastes.

#### B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

### Disposal Instructions

If this material becomes a waste it does not meet the criteria of a hazardous waste as defined by USEPA RCRA regulations. More stringent state or local regulations may apply. Combining this material with another may alter this classification.

## \*\*\* Section 14 - Transport Information \*\*\*

### US DOT Information

Shipping Name: None necessary.

Additional Info.: None.

### International Transportation Regulations

This product is not regulated as a hazardous material by the United States (DOT) or Canadian (TDG) transportation regulations.

## \*\*\* Section 15 - Regulatory Information \*\*\*

### US Federal Regulations

#### A: General Product Information

TSCA - All naturally occurring components of this product are automatically included in the USEPA TSCA Inventory List per 40 CFR 710.4 (b). All other components are on the USEPA TSCA Inventory List.

FDA - Limestone has been determined as "Generally Recognized As Safe" (GRAS) by FDA - see 21 CFR 184.1409.

# Material Safety Data Sheet

Material Name: DOLOMITIC LIMESTONE

ID: C-MS-AT-2013CANSTDLS

## B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

Acute Health: Yes Chronic Health: Yes Fire: No Pressure: No Reactive: No

## State Regulations

### A: General Product Information

Other state regulations may apply. Check individual state requirements.

### B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

| Component                | CAS        | CA  | FL | MA  | MN  | NJ  | PA  | MI |
|--------------------------|------------|-----|----|-----|-----|-----|-----|----|
| Quartz                   | 14808-60-7 | No  | No | Yes | Yes | Yes | Yes | No |
| Tremolite (non-asbestos) | 14567-73-8 | Yes | No | No  | No  | No  | No  | No |

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer.

## Other Regulations

### A: General Product Information

Canadian WHMIS Classification: Class D, Division 2, Subdivision A

### B: Component Analysis - Inventory

| Component                                       | CAS #      | TSCA | DSL | NDSL | EINECS | AUST | PHIL. | MITI | KOREA | ELINCS | CHINA |
|---|------------|------|-----|------|--------|------|-------|------|-------|--------|-------|
| Dolomite (CaMg(CO <sub>3</sub> ) <sub>2</sub> ) | 16389-88-1 | Yes  | No  | Yes  | Yes    | Yes  | Yes   | No   | Yes   | No     | Yes   |
| Quartz  | 14808-60-7 | Yes  | Yes | No   | Yes    | Yes  | Yes   | Yes  | Yes   | No     | Yes   |
| Tremolite (non-asbestos)                        | 14567-73-8 | No   | No  | No   | No     | Yes  | Yes   | No   | No    | No     | Yes   |

## C: Component Analysis - WHMIS IDL

| Component | CAS        | Present |
|-----------|------------|---------|
| Quartz    | 14808-60-7 | Yes     |

## \* \* \* Section 16 - Other Information \* \* \*

### Other Information

Disclaimer: Neither Minerals Technologies Inc., nor any of its affiliates ("MTI") shall be responsible for the use of information, product, method, or apparatus herein presented ("Information"), and you must make your own determination as to its suitability and completeness for your own use, for the protection of the environment, and for health and safety purposes. You assume the entire risk of relying on this information. In no event shall MTI be responsible for damages of any nature whatsoever resulting from the use of or reliance upon this information. By providing this information, MTI neither can nor intends to control the method or manner by which you use, handle, store, or transport MTI products. Nothing herein shall be construed as a recommendation or license to use any Information that conflicts with any patent, trademark or copyright. Material Safety Data Sheets providing safety precautions that should be observed in handling and storing MTI products are available upon request. You should obtain and review the available material safety information before handling any of these products.

# Material Safety Data Sheet

**Material Name: DOLOMITIC LIMESTONE**

Distributed by:  
Laguna Clay Company  
14400 Lomas Ave  
City of Industry, CA 91746  
1-800-4Laguna  
info@lagunaclay.com  
www.lagunaclay.com

MTI MAKES NO PRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE REGARDING THIS INFORMATION, AND NOTHING HEREIN WAIVES ANY CONDITIONS OF SALE. This information could include technical inaccuracies or typographical errors. Changes are periodically added to the information herein; these changes will be incorporated in revisions of the information. MTI may make improvements and/or changes in the product(s) described in this information at any given time.

## Key/Legend

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; DOT = Department of Transportation; RCRA = Resource Conservation and Recovery Act

This is the end of MSDS # C-MS-AT-2013CANSTDLS



Distributed by:  
Laguna Clay Company  
14400 Lomas Ave  
City of Industry, CA 91746  
1-800-4Laguna  
info@lagunaclay.com  
www.lagunaclay.com