

MATERIAL SAFETY DATA SHEET

Prince Minerals, Inc.
21 West 46th Street, 14th Floor
New York, New York 10036

CONTACT NUMBERS:
Prince Safety, Health and Environmental:
(646) 747-4176
CHEMTREC (24-hrs): (800) 424-9300

Section I: Product Information

Identity: CHROMITE
Synonyms: CHROME ORE, CHROMITE ORE, IRON CHROMITE; CHROME SAND
Trade Names: CHROMOX; ChromeCAST;
Revision Date: 04/2014

HMIS

Health- 2
Flammability- 0
Reactivity- 0
Personal Protection:



Section II: Composition

<u>Chemical Name:</u>	<u>CAS #</u>	<u>Percent</u>
Chrome Ore (Cr ₂ FeO ₄) or Cr ₂ O ₃	1308-31-2	100

Section III: Health Hazard Data

Component	CAS	% By Wt	OSHA PEL (mg/m ³)	OSHA Ceiling	ACGIH TLV	ACGIH STEL	Listed Carcinogen		
							NTP	IARC	OSHA
Chrome Ore	1308-31-2	100	1 (as Cr)	N/A	0.05 (as Cr)	N/A	N	N	N

* IARC Group: Not classifiable as carcinogenic to humans

Emergency Overview: Not a fire or spill hazard. Low toxicity- Dry dust is a nuisance particulate. Generally, health effects are provided for exposure to dust that may be generated during product transfer and handling.

Primary Route of Exposure: Inhalation

Relevant Routes of Exposure:

EYE CONTACT: Particulate may cause slight to moderate irritation. Abrasive action of dust particulate can damage eye.

SKIN CONTACT: Prolonged or repeated contact may cause slight to moderate irritation.

INHALATION: Overexposure by inhalation of airborne particulate, dust, or fumes is irritating to the nose, throat, and respiratory tract. Inhalation of excessive levels of dust or fumes may be harmful.

INGESTION: Unlikely route of exposure; no hazard in normal industrial use. Small amounts (< tablespoonful) swallowed during normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury. If ingested in sufficient quantity, may cause gastrointestinal disturbances. Symptoms may include irritation, nausea, vomiting, abdominal pain, and diarrhea.

Acute and Chronic effects of Exposure:

Excessive, short-term exposure to airborne mineral dusts and particulate may cause upper respiratory and eye irritation. Excessive, long-term inhalation of airborne mineral dusts and particulate may contribute to the development of bronchitis, reduced breathing capacity, and may lead to the increased susceptibility to lung disease.

Signs and Symptoms of Exposure:	(Dust) tearing of eyes, burning sensation in the throat, cough, and chest discomfort.
Aggravation of Pre-existing Conditions:	The excessive inhalation of mineral dust may aggravate pre-existing chronic lung conditions such as, but not limited to, bronchitis, emphysema, and asthma.
Reproductive Hazards:	Not a reproductive hazard.

Section IV: First Aid

Emergency and First Aid Procedures:	<p>EYE CONTACT: Flush eyes immediately with water for at least 15 minutes. Seek medical attention if irritation persists.</p> <p>SKIN CONTACT: Immediately wash affected area with mild soap and water to remove any dust adhering to the skin. Seek medical attention if irritation develops or persists.</p> <p>INHALATION: If exposed to excessive levels of dust or fumes, remove to fresh air and seek medical attention if cough or other symptoms develop. If not breathing, give artificial respiration or give oxygen by trained personnel, and get medical attention.</p> <p>IF INGESTED: Unlikely route of exposure. If ingested in sufficient quantity and victim is conscious, give 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Leave decision to induce vomiting to qualified medical personnel, since particles may be aspirated into the lungs. Seek immediate medical attention.</p>
--	--

Section V: Fire and Explosion Hazard Data

Emergency Overview:	Not a fire or spill hazard. Low toxicity; dry dust is a nuisance particulate. Generally, health effects are provided for exposure to dust that may be generated during product transfer and handling.
Flammable Properties:	Material will not burn. No unusual fire or explosion hazards.
Extinguishing Media:	Use extinguishing media appropriate to combustibles in the surrounding area.
Protection for Firefighters:	Wet material should be kept out of eyes and off skin. As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Material does not give off toxic fumes in a fire unless molten.

Section VI: Accidental Release

Containment:	Product is a dry solid (granular or powder) and not readily soluble in water. However, prevent spilled product from entering streams, water bodies, and wastewater systems.
Cleanup:	Vacuum or sweep up dry material and place in a container for reuse. Avoid creating excessive airborne dust. It is recommended that cleanup personnel wear approved respiratory protection, gloves, long sleeved clothing and goggles to prevent irritation from contact and inhalation.
Collection:	If possible, collect and reuse spilled product.
Evacuation:	Isolate hazard area. Keep unnecessary and unprotected personnel from entering area.
Potential Environmental Effects:	Derived from natural ores; no adverse environmental effects known. However, prevent spilled product from entering streams, water bodies, and wastewater systems

Section VII: Precautions for Safe Handling and Use

Handling:	Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with skin and eyes.
Storage:	Store in cool, dry area. Keep container closed when not in use.
Waste Disposal:	If possible, collect and reuse spilled product. Disposal Method: Follow all applicable Federal, State, and local laws, rules, and regulations regarding the proper disposal of this material

Section VIII: Control Measures/ PPE Requirements

Engineering Controls:	Minimize dust generation and accumulation. Avoid breathing dust. Keep exposure below the exposure limits listed in Section III.
Personal Protective Equipment:	<p>Eye Protection: Corrosive to eyes. Wear protective safety goggles when dust generation is likely.</p> <p>Skin Protection: Wear clothing sufficient to cover the skin, safety shoes, and leather gloves for hand protection against dry material.</p> <p>Respiratory Protection: Use NIOSH/MSHA approved respiratory protection (air purifying or air supplying) when concentrations are above exposure limit value. A respiratory protection program that meets OSHA 29 CFR part 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.</p>
Good Hygienic Practice:	Wash thoroughly after using product. Wash contaminated clothing. Wash hands before eating or drinking.

Section IX: Physical and Chemical Properties

Bulk density:	180-200 lbs/ft ³	Freeze Point:	Solid at STP	% volatile by vol:	0% H ₂ O
Water solubility:	Insoluble	Melting Point:	>3400 °F	Vapor Density:	N/A
pH: (10% aqueous slurry)	N/A	Boiling Point:	N/A	Vapor Pressure:	N/A

Appearance and Odor: Chrome ore is usually black, but does show some variation from iron-black to brownish black with some brown streaks. Various grades can vary from large pieces down to fine powders. Odorless.

Section X: Stability/ Reactivity Data

Stability:	Stable under normal conditions of storage.
Conditions to Avoid:	None under normal conditions.
Incompatibility (materials to avoid):	Chrome ore can react at high temperature with molten alkalis and alkali vapors forming water-soluble chromium salts.
Hazardous Decomposition or Byproducts:	None under normal conditions.
Hazardous Polymerization:	Will not occur.

Section XI: Toxicological Properties

<u>Component</u>	<u>CAS</u>	<u>RTECS Toxicity</u>
Chrome Ore	1308-31-2	N/A

Section XII: Ecological Information

Material derived from mineral ores. No data available on any adverse effects of this material on the environment.

Section XIII: Disposal Considerations

RCRA: As manufactured, this product is not a RCRA listed hazardous waste and does not exhibit any characteristics of a hazardous waste, including TCLP.

Disposal Method: This product is generally suitable for landfill disposal. Follow all applicable Federal, State and local laws regarding proper disposal. If this product has been altered or contaminated with other hazardous materials, appropriate waste analysis may be necessary to determine method of disposal.

Section XIV: Transportation Information

USDOT: Not regulated

Section XV: Regulatory

Note: Prince Minerals, Inc.'s chromite ore is mined from the Transvaal Region of South Africa. This ore and the un-reacted ore component of the chromite ore processing residue are exempt from the reporting requirements under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (EPCRA) and Section 6607 of the Pollution Prevention Act of 1990 (PPA). See 66FR24066 for complete citation.

RCRA: No
CERCLA: No
SARA: No
TSCA: Not Regulated

Section XVI: Other Information

Prince Minerals, Inc. provides the information contained herein in good faith, but makes no representation as to its comprehensiveness or accuracy. Such information may be incomplete and/or not applicable to all conditions or situations that may exist or occur. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose or application. Prince Minerals, Inc. assumes no obligation for the information herein and makes NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING (WITHOUT LIMITATION) ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, with respect to the information set forth herein or the suitability of any recommendations made with regard thereto, or the product to which the information refers all of which are AS IS. Accordingly, Prince Minerals, Inc. assumes no liability for any damages, claims or losses arising, directly or indirectly, from any use or reliance upon the information or from any inaccuracy or incompleteness therein. It is solely the responsibility of the user to determine safe conditions for use of this product. Further, the user assumes all liability or expense whatsoever arising out of any improper use thereof.