

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	Page 1 of 9

## SECTION 1. IDENTIFICATION

Product name : **1024694**  
3134-2 Milled Glaze Frit 50 Lb bag

Material number : **1024694**

### Manufacturer or supplier's details

Company name of supplier : Ferro Corporation

Address : 6060 Parkland Blvd. Suite 250  
Mayfield Heights OH 44124-4185

Telephone : (216) 875-5600

### Emergency telephone number

In-Country Number : (800)424-9300

CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

### Recommended use of the chemical and restrictions on use

Recommended use : Ceramic coating suited for firing, for glass and ceramics.

Restrictions on use : Reserved for industrial and professional use.

## SECTION 2. HAZARDS IDENTIFICATION

### GHS Classification

Not a hazardous substance or mixture.

### GHS Label element

Not a hazardous substance or mixture.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Chemical nature : glass/frit

### Hazardous components

No hazardous ingredients

## SECTION 4. FIRST AID MEASURES

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	Page 2 of 9

---

General advice	: Consult a physician.
If inhaled	: Remove to fresh air. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person.
In case of skin contact	: Wash off immediately with soap and plenty of water. If a person feels unwell or symptoms of skin irritation appear, consult a physician.
In case of eye contact	: Rinse immediately with plenty of water and seek medical advice.
If swallowed	: Do NOT induce vomiting. Rinse immediately with plenty of water and seek medical advice.
Most important symptoms and effects, both acute and delayed	: None known.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Specific hazards during firefighting	: Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray.
Hazardous combustion products	: No hazardous combustion products are known
Further information	: Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. No conditions to be specially mentioned.
Environmental precautions	: No special environmental precautions required.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	<b>Page 3 of 9</b>

Methods and materials for containment and cleaning up : Clean up promptly by sweeping or vacuum.  
Keep in suitable, closed containers for disposal.  
Clean contaminated floors and objects thoroughly while observing environmental regulations.

## SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.

Conditions for safe storage : Keep in a dry, cool and well-ventilated place.

Materials to avoid : No special restrictions on storage with other products.  
No materials to be especially mentioned.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : Apply technical measures to comply with the occupational exposure limits.  
Provide adequate ventilation.

### Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection  
Material : Protective gloves

Eye protection : Safety glasses  
Ensure that eyewash stations and safety showers are close to the workstation location.

Protective measures : Wear suitable protective equipment.  
When using do not eat, drink or smoke.

Hygiene measures : Wash hands before breaks and immediately after handling the product.  
Remove contaminated clothing and protective equipment before entering eating areas.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	Page 4 of 9

---

Appearance	: powder
Colour	: white
Odour	: odourless
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Burning rate	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: No data available
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: Not determined
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	Page 5 of 9

Oxidizing properties : No data available

Refractive index : Not applicable

Volatile organic compounds (VOC) content : Not applicable

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Incompatible materials

Incompatible materials : No data available

Hazardous decomposition products : Stable under normal conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

inhalation (dust/mist/fume)

Skin

Eye contact

### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

### Skin corrosion/irritation

Not classified based on available information.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	<b>Page 6 of 9</b>

## Germ cell mutagenicity

Not classified based on available information.

## Carcinogenicity

Not classified based on available information.

### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

### OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

## Reproductive toxicity

Not classified based on available information.

## STOT Specific Target Organ Toxicity - single exposure

Not classified based on available information.

## STOT Specific Target Organ Toxicity - repeated exposure

Not classified based on available information.

## Aspiration toxicity

Not classified based on available information.

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

Chronic aquatic toxicity : This product has no known ecotoxicological effects.

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: No data available

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	<b>Page 7 of 9</b>

## Mobility in soil

### Product:

Distribution among environmental compartments : Remarks: No data available

### Other adverse effects

No data available

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Empty remaining contents.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

## SECTION 14. TRANSPORT INFORMATION

### UNRTDG

Not regulated as a dangerous good

### IATA-DGR

Not regulated as a dangerous good

### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

## SECTION 15. REGULATORY INFORMATION

**TSCA list** : TSCA 5a - Not relevant

**TSCA list** : TSCA\_12b - Not relevant

### EPCRA - Emergency Planning and Community Right-to-Know Act

**SARA 311/312 Hazards** : No SARA Hazards

# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	Page 8 of 9

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

### Pennsylvania Right To Know

This product contains components that are reportable under the regulation.

### New Jersey Right To Know

This product contains components that are reportable under the regulation.

### California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### The components of this product are reported in the following inventories:

- SWISS (Switzerland) : On the inventory, or in compliance with the inventory
- TSCA (United States) : On TSCA Inventory
- DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.
- AICS (Australia) : On the inventory, or in compliance with the inventory
- NZioC (New Zealand) : Not in compliance with the inventory
- ENCS (Japan) : On the inventory, or in compliance with the inventory
- ISHL (Japan) : Not in compliance with the inventory
- KECI (Korea) : On the inventory, or in compliance with the inventory
- PICCS (Philippines) : On the inventory, or in compliance with the inventory
- IECSC (China) : On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

- Sources of key data used to compile the Safety Data Sheet : [1] Estudio de Evaluación de Riesgos de la Fritas Cerámicas, Universitat Jaume I, 2005  
[2] Modelling Study of Ceramic Frits Formulation for their



# SAFETY DATA SHEET



According to OSHA Hazard Communication Standard 29CFR 1910.1200 (HCS 2012)

<b>1024694</b>		<b>3134-2 Milled Glaze Frit</b>	<b>50 Lb bag</b>
Product specification	<b>RS_FP_307428</b>	Revision Date	<b>03/13/2017</b>
Version	<b>1.4</b>	Print Date	<b>05/03/2017</b>
Material number	<b>1024694</b>	Page	<b>Page 9 of 9</b>

Classification in REACH, Universtat Jaume I, 2009  
[3] 2009 Validity Assessment of the Exemption Dossier Cera

Revision Date : 03/13/2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN